

SPECIFICATIONS - 4520 (2WD)				
Engine				
Engine HP		45 (2WD)		
No. of Cylinders		3		
Rated RPM		2000		
Max Torque (Nm)		174		
Air Cleaner		Dry Air Cleaner With Clogging Sensor		
Transmission				
Clutch Type		Dual Clutch		
Gear Box		8F+2R		
Max Speed (kmph)		27.58		
Brake				
Brake Type		Oil Immersed Brake		
Hydraulics				
Lift Capacity (kg)		1600 Kg		
3 Point Linkage		CAT II		
Hydraulic Control		1DA/SA		
Steering				
Steering		Power		
PTO				
PTO Standard RPM		540		
MSR PTO		Optional		
Tyre				
Tyre	Front	6*16		
	Rear	13.6*28/14.9*28		
Fuel Tank				
Capacity (L)		65		
Dimensions & Weight				
Wheel Base (mm)		2100		
Length (mm)		3880		
Width (mm)		1830		
Front Ballast Weight (Optional)		4*29		

*Since product upgradation is a continuous process, specification and details provided are subject to change without any prior intimation.

*Terms and condition apply.

Dealership stamp





E3 Engine having Xtra Power, Xtra Torque and Xtra Pickup.

Efficient Fuel Combustion which results in extra mileage, extra engine life for trouble free operations

High Engine Torque of 174 Nm

Easy Swift Shift 8F+2R Gearbox for Gear Shift on the Go Max Speed of 27.58 Kmph for better productivity Optimized speed for better productivity in Rotavator Maintenance free transmission which saves time and money Tough transmission for Tough Haulage



Next Generation Transmission



Most Efficient braking in Tough Haulage Provides Longer Brakes Life due to multiple Discs Super Strong Brakes provides safety in hills

Offers Highest PTO Power which gives better pulverization, Achieves 540 in 1680 ERPM which results in fuel saving

Optional reverse PTO ensures dechoking of Rotavator, ensures easy operations and saves time



PTO



Advance European Aerodynamic Design Aerodynamic Sloping hood design ensures better visibility Stylish twin projector with DRL & LED lamps



SALES@WESTCORPAUTOMOTIVE.COM

WWW.WESTCORPAUTOMOTIVE.COM

SPECIFICATIONS - 4520 (4WD)			
Engine			
Engine HP		45 (4WD)	
No. of Cylinders		3	
Rated RPM		2100	
Max Torque (Nm)		190	
Air Cleaner		Dry Air Cleaner With Clogging Sensor	
Transmission			
Clutch Type		Dual Clutch	
Gear Box		8F+2R	
Max Speed (kmph)		27.58	
Brake			
Brake Type		Oil Immersed Brake	
Hydraulics			
Lift Capacity (kg)		1600 Kg	
3 Point Linkage		CAT II	
Hydraulic Control		1DA/SA	
Steering			
Steering		Power	
PTO			
PTO Standard RPM		540	
MSR PTO		Optional	
Tyre			
Tyre	Front	9.5*20	
	Rear	13.6*28/14.9*28	
Fuel Tank			
Capacity (L)		65	
Dimensions & Weight			
Wheel Base (mm)		2100	
Length (mm)		3880	
Width (mm)		1830	
Front Ballast Weight (Optional)		4*29	

*Since product upgradation is a continuous process, specification and details provided are subject to change without any prior intimation.

*Terms and condition apply.

Dealership stamp



E3 Engine having Xtra Power, Xtra Torque and Xtra Pickup.

Efficient Fuel Combustion which results in extra mileage, extra engine life for trouble free operations

High Engine Torque of 190 Nm

Easy Swift Shift 8F+2R Gearbox for Gear Shift on the Go Max Speed of 27.58 Kmph for better productivity Optimized speed for better productivity in Rotavator Maintenance free transmission which saves time and money Tough transmission for Tough Haulage



SUPER STRONG QIB

Most Efficient braking in Tough Haulage Provides Longer Brakes Life due to multiple Discs Super Strong Brakes provides safety in hills

Offers Highest PTO Power which gives better pulverization, Achieves 540 in 1680 ERPM which results in fuel saving

Optional reverse PTO ensures dechoking of Rotavator, ensures easy operations and saves time



PTO



Advance European Aerodynamic Design Aerodynamic Sloping hood design ensures better visibility Stylish twin projector with DRL & LED lamps



SALES@WESTCORPAUTOMOTIVE.COM
WWW.WESTCORPAUTOMOTIVE.COM